	Application No.	Applicant(s)
Notice of Allowability	10/667,252	JONES ET AL.
	Examiner	Art Unit
	Raymond W. Addie	3671
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to the pre-appeal conference request filed 11/7/06.		
2. The allowed claim(s) is/are 19,22 and 43.		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the</li> </ul>		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.		
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	<ul><li>5. ☐ Notice of Informal P</li><li>6. ☐ Interview Summary</li></ul>	
_	Paper No./Mail Dat	te
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🛛 Examiner's Amendr	•
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ☐ Examiner's Stateme	ent of Reasons for Allowance
	·	AMIJUMA CHALE RAYMOND ADDIE PRIMARY EXAMINER

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with James Dottavio on 12/15/06.

The application has been amended as follows:

## In the Claims:

Claim 19, In. 4, the phrase "on the surface, the mat" has been deleted.

Claim 19, In. 6, after the phrase "(166C)" the phrase --, the mat having a loadelongation behavior such that the mat achieves at least 90% of its ultimate load at an elongation not greater than 5% of the mat length in the direction of applied tensile stress, on the surface--; has been added.

Claim 19, Ins. 9-11 have been deleted in their entirety, starting with "wherein the mat".

Claim 43, In. 6, after the phrase "166C)," the phrase --the mat having a load elongation behavior such that the mat achieves at least 90% of its ultimate load at an elongation not greater than 5% of the mat length in the direction of applied tensile stress;-- has been added.

Application/Control Number: 10/667,252

Art Unit: 3671

Claim 43, Ins. 9-11 have been deleted in their entirety; starting with "wherein the mat in step (b)".

## In the Abstract:

Line 1, the phrase "A mat for use in a paved surface comprises"; has been changed to --A method of repairing a paved surface utilizes--.

## Allowable Subject Matter

- 2. Claims 19, 22, 43 are allowed.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Raymond W. Addie whose telephone number is 571 272-6986. The examiner can normally be reached on 6AM-2:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Thomas B. Will can be reached on 571 272-6998. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

Art Unit: 3671

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Raymond Addie Primary Examiner Group 3600

12/15/06